3000M - RETRACTABLE ARM AWNING





Euro Full Cassette "Cube"

- Clean streamlined appearance.
- With a closed box, the fabric, motor, and arms will be effectively protected.




Flush Mount to Wall


• The box profile has a continuous hook for flexible wall bracket positioning.



Motorized or Manual Op.

- Fabric and arms retract in and out
- Standard manual operation





Shaded Area:

Width up to 18' 1"
Projection up to 9' 10"
Pitch 0° up to 35°
Drop Screen N/A








Many Fabric Options





940 Jason Street, Suite 3 Denver, CO 80223 P: 303.517.1994 W: denvershadecompany.com

EURO FULL CASSETTE




Key Features:

- The cubic box provides for a modern, linear architecture
- Protects fabric from weather damage
- Prevents insect and bird damage
- Awning arms retract inside cassette

The full cassette provides protection against weather elements. Additionally, it can be mounted to the wall, below the ceiling, or to the frames using different installation options.

FLUSH MOUNT TO WALL



Key Features:

- Wall connection profile makes for a flush transition from façade to box
- Variable bracket positioning
- The ingenious cover means that no screws are visible

The smart cover design hides screws seamlessly, even in ceiling mounts, for a clean look. The box profile includes a continuous hook for flexible wall bracket placement, laying flat on surfaces.

MANUAL OR MOTORIZED




Key Features:

- Fabric and arms retract in and out
- Standard manual operation
- Motorized operation with remote control (optional)

The product boasts versatile functionality, with the ability to retract the fabric and arms smoothly. It offers both standard manual operation or an optional motorized mode.

SPECIFICATIONS



Width

Min. Width	Proj.	7'	8′	9′	10'	11'	12'	13'	14'	15'	16′	17'	18′
7'	4′ 11″												
8′ 4″	6′ 6″												
10' 4"	8′ 2″												
12′ 3″	9' 10"												

FINISHING

Frame Color	
Color	
Color Code	
Fabric Color	
Color	
Color Code	