SCREEN SHADE 200Z - RETRACTABLE PATIO SCREEN














Full Cassette Box

- Protects the motor and fabric.
- Clean enclosed look.
- Powder-coated finish.




Zip Guided


- Side retention of fabric.
- Keeps fabric safe in the wind.
- Wind tolerance up to 20mph.



Motorized or Manual

- Motor (remote operation)
- "Auger Style" crank





5 Standard Colors



Many Fabric Options



FULL CASSETTE BOX



Key Features:

- Protects the motor and fabric
- Available in 5 standard colors

When not in use, the full cassette head case shields the screen roll and motor from harsh weather conditions. The clean, enclosed design conceals all parts and gears, providing a sleek appearance while also safeguarding the motor inside the roll of fabric.

ZIP GUIDED



Zip guided screens use an interlocking zip system when lowering, creating a more efficient barrier against insects on both sides of the shade.

MOTORIZED OR MANUAL



Motorized Key Features:

Manual Key Features:

• Remote


• No electrician needed.

Convenience

• Lower cost option.

If you're deciding between a motorized or manual option for your shaded screen, we offer both. The manual system does not require any electrical work and is a more economical choice. While the motorized option is more convenient and comes with a user-friendly remote for adjusting the screen length.

SPECIFICATIONS



Width

		6′	7'	8′	9′	10'	11′	12'	13′	14'	15′	16′	17′	18′	19'	20′	21′	22'
Height	8′																	
	9′																	
್ಲ∵ [10'																	
Ĕĺ	11'																	
	12'																	
`																		
	BOX	4.5"	4.5"	4.5"	4.5"	4.5"	4.5"	4.5"	4.5"	4.5"	4.5"	5″	5″	5″	5″	7"	7″	7″

4.5" Box - Max Width 16'6" 5" Box - Max Width 19'11" 7" Box - 20' or Greater

OPERATION PARAMETERS



OPERATION

The Customer understands that excessive and extraordinary weather conditions may cause damage to the product, the product may not perform optimally or may not function at all. Care should be taken at all times by the owner. Always retract the shading product when not in use. TDSC does not take any responsibility for personal, or property damage caused by weather or improper use and handling.





OPERATION PARAMETERS



SUN: Screen shades can be used for sunshade.



RAIN: While screen shades can help reduce rain exposure, they won't block moisture entirely.



WIND: Wind capacity is 20 mph. High winds may damage the shade.



SNOW: While screen shades can help reduce snow intrusion, they are not designed to withstand accumulation.



TEMPERATURE: Do not operate the shade in temperatures below 40°F. Motors may not work in temperatures below 14°F. Fabric is more brittle in colder conditions and thus subject to damage.



HAIL: Hail damage is not covered by warranty.



OBSTRUCTIONS: Objects such as sticks, branches and debris may impede travel and can damage or stain the fabric. Always use caution.

^{*} The above weather conditions are manufacturer recommendations only.

FINISHING

Frame Color		
		l
White	Bronze	
		VID.
lvory	Black	
Beige		
Screen Fabric Color		
Fabric Type		
Color Code		
2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		