

TERAS SHADE ES - RETRACTABLE PATIO COVER (WALL MOUNTED)

KEY/LEGEND:

 Optional Add-On Accessory



Shade



Wind



No Snow




Rain




Retractable Folding Fabric Canopy System

- Zippered Side Channels
- Higher wind tolerance to awning.
- Integrated water drainage.





Modular Design

- Combine multiple units in a row.
- 14' 9" max width each section, 22' 11" max projection.



Accessory Packages

- Lighting, screen shades, heaters, and glass.



Shaded Area:
Width up to 42' 8"
 (Modular with in 14' 9" increments)
Projection up to 22' 11"

Custom RAL Colors



SIOEN Fabric Options



RETRACTABLE FOLDING FABRIC CANOPY SYSTEM



Key Features:

- Remote-controlled folding shade style patio cover
- Electric motor for easy operation
- Fabric extends and tightens to block sun and rain

The folding shade style patio cover features a remote-controlled electric motor for effortless operation. The fabric extends outward and securely tightens, providing sun and rain protection.

MODULAR DESIGN



Key Features:

- Combine multiple units in a row.
- 14'9" max width each section, 22' 11" projection

The Modular Key Features of our product include the ability to combine multiple units in a row, allowing for seamless expansion and customization according to your specific needs. These features ensure a flexible and efficient solution that can adapt to various spaces and requirements.

ACCESSORY PACKAGES AVAILABLE





Key Features:

- LED Lighting
- Heaters
- Drop Screens or glass enclosure


We offer a variety of accessory packages to enhance your experience, including lighting, screen shades, and heaters. These packages provide additional functionality and convenience to complement your space.

SPECIFICATIONS


Canopy Features




Rafter Profile




Gutter Profile



Post Profile



Glass Profile



⚡ Electrical - 120 Volt, 5 Amp (Placed on left or right end.)

Width

Proj.	10' - 14' 9" (2 Rails)	16' - 29' 8" (3 Rails)	30' - 42' 8" (4 Rails)
6' 5"			
9' 8"			
13' 1"			
16' 4"			
19' 8"			
22' 11"			



OPERATION PARAMETERS



OPERATION

The Customer understands that excessive & extraordinary weather conditions may cause damage to the product, the product may not perform optimally or may not function at all. Care should be taken at all times by the owner. TDSC does not take any responsibility for personal, or property damage caused by weather or improper use and handling.



OPERATION PARAMETERS



SUN: Patio covers can be used for sunshade.



RAIN: The patio cover may protect against rain however, rain intensity can exceed gutters and drainage capacity which will cause the patio cover to overflow.



WIND: This patio cover is built to endure typical wind exposure. In the event of high winds, we advise retracting the cover to safeguard against damage from debris.



SNOW: While patio covers can help reduce snow intrusion, they are not designed to withstand accumulation.



TEMPERATURE: Do not operate the shade in temperatures below 40°F. *Motors may not work in temperatures below 14°F. Fabric is more brittle in colder conditions and thus subject to damage.*



HAIL: Open patio cover during a hailstorm to limit damage. Hail damage is not covered by warranty.



OBSTRUCTIONS: Objects such as sticks, branches and debris may impede travel and can damage or stain the fabric. Always use caution.

* The above weather conditions are manufacturer recommendations only.



FINISHING

KEY/LEGEND:

 Optional Add-On Accessory

Hardware Color

Color


Color Code



Fabric Color

Color

Color Code



LED Lighting

☐

Yes

☐

No



Side Enclosure

☐


None

☐

Glass Side Enclosures

☐

Screen Shades



Heating System

☐

Yes

☐

No

