


# VZ800 ES - PERGOLA COVER XL




## Multiple Applications

- Standard mount for sun protection.
- Pitch mount option for added rain protection




## Full Cassette System

- Clean streamlined appearance.
- With a closed box, the fabric will be effectively protected.



## Zippered Fabric

- Strong durable material.
- Spring-tension system.




## 9 Standard Colors



## Many Fabric Options



# MULTIPLE APPLICATIONS



## Key Features:

- Ingenious design allows versatile movement of the fabric in any direction
- Suitable for indoor use, making it ideal for skylights and roof lights.

The innovative design facilitates versatile fabric movement, allowing for seamless adjustment in various directions, including bottom to top, top to bottom, left to right, or right to left. This sunblind exhibits adaptability for indoor use, making it particularly well-suited for skylights and roof lights.



# FULL CASSETTE SYSTEM



## Key Features:

- Protects fabric from weather damage
- Prevents fabric from fading
- Prevents insect and bird damage
- Awning arms retract inside cassette

The full cassette design provides effective protection against diverse weather conditions, ensuring durability and optimal performance.

# ZIPPERED FABRIC




## Key Features:

- Ultra-taut fabric with innovative zip system.
- Concealed stainless steel spring in guide rails for durability.
- Long-lasting fabric tautness.
- Exceptional wind resistance up to 85 mph.


This model boasts an ultra-taut fabric featuring an innovative zip system and concealed stainless steel springs in the guide rails, ensuring durability and long-lasting tautness.

# SPECIFICATIONS


## Technical Possibilities



Pergola Awning \*Mounted above slat panel roof. (Optional)



## Side Channels




⚡ Electrical - 120 Volt, 5 Amp (Placed on left or right end.)


# SPECIFICATIONS

KEY/LEGEND:  Optional Add-On Accessory


Cassette Box



Low Support Bracket - Standard



Extended Support Bracket  (to clear obstacles)



Width

Feet	5'	6'	7'	8'	9'	10'	11'	12'	13' 1"
3' 4"									
4' 11"									
6' 6"									
8' 2"									
9' 10"									
11' 5"									
13' 1"									
14' 9"									
16' 4"									
18'									
19' 8"									

• Max Width on a 1 field system is 9' 10"

• Max Width on a coupled system is 13' for each field

# FINISHING

## Frame Color

Color

Color Code



## Solar Screen Fabric Color

Fabric Type

Color Code

