

ACCENT LIGHTING - DIRECTIONAL LED LIGHTING



"Alpha" Projector Light



"Regulus" Spotlight



"Aries" Post Light



"Aries" Post Light




Bistro Lights



Customer Supplied Lighting



ALPHA - PROJECTOR LIGHT



Key Features:

- Warm white 3000K
- Ceiling or wall-mounted installation
- Adjustable by 355° along the vertical axis, by 90° along the horizontal axis
- Silver

Illuminate your evenings beneath the pergola using the "Alpha" projector spotlights. Personalize your pergola by adjusting the lighting angles to create an enhanced and inviting atmosphere.

Power Output 4,1W

Protection Rating: IP54


Power Supply: 24 Vdc

Dimensions: 2 7/8"W x 2 5/8"H x 1 5/8" Radius

Beam Width: 36°



REGULUS - SPOTLIGHT



Key Features:

- Warm white 3000K
- Adjustable by +/- 13°
- Assembly on aluminium profiles
- Silver

Enhance your evenings beneath the pergola using the "Regulus" spotlight for aluminium structures. Customize your pergola by adjusting the lighting angles to create an inviting atmosphere.

Power Output 4,1W

Protection Rating: IP54


Power Supply: 24 Vdc

Dimensions: $1 \frac{7}{8}"$ Radius

Beam Width: 36°



ARIES - SINGLE-EMISSION POST LIGHT



Key Features:

- Warm white 3000K
- Single emission
- Built-in assembly on wall with springs
- Components supplied separately
- Powder coating to match pergola

Elevate your pergola's design with a sleek, single-dimensional "Aries" sconce light. Custom powder coat and install these lights on the outer posts to illuminate your pathway.

Power Output 2,3W

Protection Rating: IP65

Power Supply: 24 Vdc

Dimensions: 1 3/4" H x 1 3/8" W

Beam Width: 25°




THE DENVER SHADE COMPANY

940 Jason Street, Suite 3
Denver, CO 80223

P: 303.517.1994
W: denvershadecompany.com

ARIES - DOUBLE-EMISSION POST LIGHT



Key Features:

- Warm white 3000K
- Double emission
- Built-in assembly on wall with springs
- Components supplied separately
- Powder coating to match pergola

Elevate your pergola's design with a sleek, double-dimensional "Aries" sconce light. Custom design and install these lights on the outer posts to illuminate your pathway.

Power Output 4,6W

Protection Rating: IP65

Power Supply: 24 Vdc

Dimensions: 1 3/4" H x 1 3/8" W

Beam Width: 25°

BISTRO LIGHTS



Key Features:

- 2800K
- Dimable lighting
- Low Voltage

Enhance your backyard patio with charming bistro lighting. Arrange strands of lights to create an appealing design.

Power Output 1.0W

Protection Rating: IP67

Power Supply: 24 Vdc

Max Length: 57' per strand

**Multiple strands available*

Lights Per Strand: 15 lights

CUSTOMER SUPPLIED LIGHTING



Customer Supplied Lighting Requirements:

- Customer supplied Chandelier, Pendants, Sconces
- Select wet rated for outdoor use product. (*remember to account for wind when choosing a light fixture.
- 120V pre-wire

Our team can assist with custom lighting fixtures for your exterior structure. Wet-rated fixtures suitable for outdoor use are required. The Denver Shade Company will handle wiring the Junction Box, while the owner provides the fixture, installation, and controls.