GUILLOTINE GLASS ES - UPWARD TRAVELING GLASS ENCLOSURE


Unobstructed View

• Clear view without beams or posts
• Install guillotine glass for panoramic patio views

Motorized Upward Glass

• Vertical operation for opening/closing
• Max width/height: 11 feet
• Single 8mm tempered glass panels

### Temperature/Wind Control

• Regulates, blocks, comforts
• Year-round outdoor comfort

Motorized Upward Sliding Glass Enclosure System

MOTOR BOX

PANEL PROFILE

PILLAR PROFILE

Single Glass 8mm Tempered
Double Glass 4+8+4mm Tempered

11 Standard Colors

UNOBSTRUCTED VIEW

Key Features:

• Unobstructed view free from extra beams or posts

• Install guillotine glass on all of your patio openings for full panoramic

viewing purposes

Glass enclosure systems provide an unobstructed view and a minimalist style by offering a maximum clear span.

MOTORIZED UPWARD GLASS

Key Features:

• Guillotine glass system operates vertically for opening and closing

• Maximum width and height of 11 feet each

• Single glass panels are 8mm tempered

The guillotine glass system vertically opens and closes, with a maximum width and height of 11 feet, featuring single 8mm tempered glass panels.

TEMPERATURE/WIND CONTROL

Key Features:

• Enhances outdoor comfort and extends usability

• Shields against strong winds for added protection

Guillotine glass enhances outdoor comfort and usability by regulating temperature and protecting against strong winds.

GLASS ENCLOSURES - SPECIFICATIONS

MOTOR BOX

PANEL PROFILE

$6^5/_{16}$"

$6^5/_{16}$"

$^5/_8$"

$2^1/_4$"

$1^5/_8$"

$2^1/_4$"

$1^1/_8$"

$1^1/_8$"

PILLAR PROFILE

$4^1/_2$"

$3^3/_4$"

SINGLE GLASS 8MM TEMPERED
DOUBLE GLASS 4+8+4MM TEMPERED

Width

Height	3'	4'	5'	6'	7'	8'	9'	10'	11'
3'									
4'									
5'									
6'									
7'									
8'									
9'									
10'									
11'									

GLASS ENCLOSURES - SPECIFICATIONS

FINISHING

Frame Color

Color

Color Code