


# HEAT 3000 ES




H (ft)	X (ft)	Y (ft)	Z (ft)	Area (ft)
Wall Mounted				
6' 6"	11' 2"	7' 10"	14' 9"	102'
8' 2"	13' 9"	9' 10"	19'	161'
Overhead Mounted				
6' 6"	14' 1"	8' 2"	-	115'
8' 2"	17'	11' 6"	-	196'



## Key Features:

- Long lamp life - minimum 7000 hours
- Large area coverage
- Suitable for wall and ceiling mounting
- Lower energy running costs

Ensure year-round comfort beneath your pergola during the autumn and winter seasons with our efficient heating system. Experience uninterrupted enjoyment of your pergolas regardless of the weather



**Volts:** 240  
**Watts:** 3000  
**Heat Area:** 125ft<sup>2</sup>

**2 Standard Colors**  
*(optional custom powder coating)*




# INFRATECH 6000 WD - ELECTRIC INFRARED HEATER




H (ft)	X (ft)	Y (ft)	Area (ft)
Wall Mounted			
6'	11'	11'	121'
Overhead Mounted			
8'-12'	11'	11'	121'

Overhead Mounted




Wall Mounted



## Key Features:

- UL listed for indoor and outdoor use
- Premium Stainless-Steel construction
- Can be installed with duplex switch for half-power option
- Produce zero greenhouse emissions or ultraviolet light

Infratech WD-Series electric patio heaters are a great example of that, using extremely efficient heating that provides both lasting warmth and minimal damage to the environment.



**Volts:** 240

**Watts:** 6000


**Heat Area:** 121ft<sup>2</sup>

## 5 Standard Colors



# INFRATECH 6000 WD - SPECIFICATIONS

## Recess Mount




⚡ Electrical - 240 Volt, 25 Amp

# BROMIC PLATINUM 3400 - ELECTRIC INFRARED HEATER




H (ft)	X (ft)	Y (ft)	Area (ft)
Wall Mounted			
6'	9'	12'	108'
Overhead Mounted			
8'	9'	12'	108'

Overhead Mounted




Wall Mounted



## Key Features:

- Adjustable mounting brackets
- Tinted glass-ceramic fascia
- Premium Stainless-Steel construction
- Designed for low-clearance, semi-enclosed spaces

The perfect heater with award-winning design and effective heating. The Platinum 3400 heater boasts an ultra-slim stainless steel build, minimal light emission, and top-tier radiant heat for low-clearance spaces.



**Volts:** 240

**Watts:** 3400


**Heat Area:** 108ft<sup>2</sup>

**2 Standard Colors**




# BROMIC PLATINUM 3400 - SPECIFICATIONS


## Ceiling Mount Clearance




## Ceiling Pole Clearance




## Wall Bracket



## Heat Area




 Electrical - 240 Volt, 25 Amp

# BROMIC TUNGSTON 6000 - ELECTRIC INFRARED HEATER




H (ft)	X (ft)	Y (ft)	Area (ft)
Wall Mounted			
6'	12' 7"	12' 7"	160'
Overhead Mounted			
8'	12' 7"	12' 7"	160'

Overhead Mounted




Wall Mounted



## Key Features:

- Large area coverage (160ft<sup>2</sup> per unit)
- Suitable for recess mounting (optional)
- Matte Finish Stainless-Steel construction
- Accurately alter heat coverage (bracket adjustment only)

Revamp your outdoor area with the Bromic Tungsten 6000 heater. Featuring chic design, potent radiant heat, and flexible mounting choices. Built to last with high-temperature coating and stainless-steel construction.



**Volts:** 240

**Watts:** 6000


**Heat Area:** 160ft<sup>2</sup>

**2 Standard Colors**  
(optional custom powder coating)




# BROMIC TUNGSTON 6000 - SPECIFICATIONS


Ceiling Mount Clearance




Ceiling Pole Clearance




Wall Bracket



Heat Area



 Electrical - 240 Volt, 25 Amp