# **SLAT WALL ES - ALUMINUM PRIVACY SLAT SYSTEM**






### **Privacy Block-Out**

- Effective sun protection
- Privacy for your patio space



#### **Custom Configurations**

• Custom design your slat spacing to achieve open airflow or block-out privacy.



#### 12 Standard Colors



## **PRIVACY BLOCK-OUT**



### **Key Features:**

- Versatile Design: complement any patio setting, whether for design aesthetics or privacy.
- Slat walls also provide sun protection

Slat walls complement any patio setting, whether for design aesthetics or privacy. Our custom-tailored slat walls are adaptable to any required size and also provide effective sun protection.

## **CUSTOM CONFIGURATIONS**




### **Key Features:**

- Customized to fit any opening or angle you desire
- Design your slat spacing to achieve open airflow or block-out privacy

Slat walls can be customized to fit any opening or angle you desire. Whether for residential or commercial use, design your slat spacing to achieve open airflow or block-out privacy.

# **SLAT WALL ES - SPECIFICATIONS**



### Gap area allowance:

- no gap
- 1" gap
- 2" gap
- 4" gap

### Slat panel sizes:

- 2" slat
- 4" slat

### **OPERATION PARAMETERS**



### **OPERATION**

The Customer understands that excessive & extraordinary weather conditions may cause damage to the product, the product may not perform optimally or may not function at all. Care should be taken at all times by the owner. TDSC does not take any responsibility for personal, or property damage caused by weather or improper use and handling.





### **OPERATION PARAMETERS**



**SUN:** Slat Walls reduce sun exposure without fully blocking it.



**RAIN:** Although Slat Walls do not offer complete rain shielding, they are designed to tolerate precipitation and resist corrosion under wet conditions.



**WIND:** Constructed to endure wind stress, Slat Walls interrupt wind momentum without compromising airflow or slat separation.



**SNOW:** Although Slat Walls do not provide full snow protection, they are capable of handling snow contact and moisture without compromising durability.



**TEMPERATURE:** Slat Walls are rated for installation across all climate zones and are unaffected by low ambient temperatures.



**HAIL:** Hail damage is not covered by warranty.



**OBSTRUCTIONS:** Foreign objects and environmental debris are not covered under warranty. Users should inspect regularly and clear any obstructions to maintain system integrity.



<sup>\*</sup> The above weather conditions are manufacturer recommendations only.

# **FINISHING**

Frame/Post Color	9 Standard Color Finishes
Color Name	
Color Code	
Slat Color	12 Standard Color Finishes
Color Name	